



CORDOVA™

— HOME —

*Contemporary design. Natural lighting. Competitive price.*

# Reflections to live by.

Cordova™ Home brings luxurious, high quality lighted mirrors into the comfortable living spaces of your home.

Our finely crafted lighted mirrors feature standard-output LEDs that produce beautiful natural lighting to perfectly complement your space.

As the worldwide leader in value-priced LED lighted mirrors, our products are proudly designed in the USA and produced with the best globally sourced materials available. This ensures you receive both a quality product and a price that's easily affordable.

With Cordova Home, you can always find a beautiful lighted mirror to fit both your unique style and budget.

# Contents

Charisma™ Lighted Mirror

Grandeur™ Lighted Mirror

Harmony™ Lighted Mirror

Mystique™ Lighted Mirror

Prestige™ Lighted Mirror

Unity™ Lighted Mirror

Installation Guide

Dimming Guide


Shipping and Handling

Contact Information

# Charisma Lighted Mirror

Incorporate Charisma™ into your design and be charmed by the sleek symmetrical lines and natural lighting of this on-trend masterpiece.

Model	Size (inches)	Lumens	Price
CHA-2436	24w x 36h x 1.71d	2,880	\$615
CHA-3636	36w x 36h x 1.71d	2,880	\$705
CHA-4836	48w x 36h x 1.71d	2,880	\$805



## FEATURES AND BENEFITS

- Lead-free, copper-free, corrosion-resistant PrimeMirror™ glass
- Forward-facing task lighting
- Forward-phase dimming technology
- Suitable for damp bathroom environments
- Energy efficient
- Easy installation
- ADA compliant
- Title 24 compliant
- 3-year limited warranty
- Designed in America and sourced globally

## LIGHTING SPECIFICATIONS

- Natural-looking LED light color
- CRI: 90+
- CCT: 3,000 Kelvin
- 540 Initial lumens per foot
- Maximum 96 lumens per watt efficacy
- Calculated  $L_{70}$  50,000-hour LED lifespan

## SAFETY SPECIFICATIONS

- Entire assembly meets UL/cUL standards
- Safety-backed mirror

## INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36" whip; junction box not required
- Fixture should be mounted to wall studs; wall cleat provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

Initial lumens are calculated based on the LED strip.

In-stock Charisma lighted mirrors ship within one week. See Shipping and Handling page for information.

For complete Terms and Conditions, Warranty, Return Policy, and Freight Claim Policies, visit [CordovaMirrors.com](http://CordovaMirrors.com).






Charisma™ Lighted Mirror

# Grandeur Lighted Mirror

Bring a touch of Grandeur™ to your bathroom with the well-balanced shape, sleek lighted border, and tranquil wall glow of this timeless lighted mirror.

Model	Size (inches)	Lumens	Price
GRN-30	30 diameter x 1.73d	3,690	\$895



## FEATURES AND BENEFITS

- Lead-free, copper-free, corrosion-resistant PrimeMirror™ glass
- Forward-facing task lighting
- Wall-glow ambient lighting with diffuser for a finished side view
- Forward-phase dimming technology
- Suitable for damp bathroom environments
- Energy efficient
- Easy installation
- Title 24 compliant
- 3-year limited warranty
- Designed in America and sourced globally

## LIGHTING SPECIFICATIONS

- Natural-looking LED light color
- CRI: 90+
- CCT: 3,000 Kelvin
- 540 initial lumens per foot
- Maximum 96 lumens per watt efficacy
- Calculated  $L_{70}$  50,000-hour LED lifespan

## SAFETY SPECIFICATIONS

- Entire assembly meets UL/cUL standards
- Safety-backed mirror

## INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36" whip; junction box not required
- Fixture should be mounted to wall studs; wall cleat provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

Initial lumens are calculated based on the LED strip.

In-stock Grandeur lighted mirrors ship within one week. See Shipping and Handling page for information.

For complete Terms and Conditions, Warranty, Return Policy, and Freight Claim Policies, visit [CordovaMirrors.com](http://CordovaMirrors.com).






Grandeur™ Lighted Mirror



# Harmony Lighted Mirror

Create a unique Harmony™ of light and reflection with this modern alternative to wall sconces that combines forward-facing task lighting and wall-glow ambiance.

Model	Size (inches)	Lumens	Price
HAR-2436	24w x 36h x 1.73d	3,240	\$615
HAR-3636	36w x 36h x 1.73d	3,240	\$715



## FEATURES AND BENEFITS

- Lead-free, copper-free, corrosion-resistant PrimeMirror™ glass
- Forward-facing task lighting
- Wall-glow ambient lighting on left and right side with diffuser for a finished side view
- Forward-phase dimming technology
- Suitable for damp bathroom environments
- Energy efficient
- Easy installation
- ADA compliant
- Title 24 compliant
- 3-year limited warranty
- Covered by one or more patents
- Designed in America and sourced globally

## LIGHTING SPECIFICATIONS

- Natural-looking LED light color
- CRI: 90+
- CCT: 3,000 Kelvin
- 540 initial lumens per foot
- Maximum 96 lumens per watt efficacy
- Calculated L<sub>70</sub> 50,000-hour LED lifespan

## SAFETY SPECIFICATIONS

- Entire assembly meets UL/cUL standards
- Safety-backed mirror

## INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36" whip; junction box not required
- Fixture should be mounted to wall studs; wall cleat provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

Initial lumens are calculated based on the LED strip.

In-stock Harmony lighted mirrors ship within one week. See Shipping and Handling page for information.

For complete Terms and Conditions, Warranty, Return Policy, and Freight Claim Policies, visit [CordovaMirrors.com](http://CordovaMirrors.com).




Harmony™ Lighted Mirror

# Mystique Lighted Mirror

Imbue a sense of Mystique™ with a romantic circle of brilliant light inset from a crisp, polished border that boldly illuminates your space with classic elegance.

Model	Size (inches)	Lumens	Price
MYS-2130	21w x 30h x 1.73d	2,790	\$740
MYS-30	30 diameter x 1.73d	3,420	\$935
MYS-36	36 diameter x 1.73d	3,690	\$1,090



## FEATURES AND BENEFITS

- Lead-free, copper-free, corrosion-resistant PrimeMirror™ glass
- Forward-facing task lighting
- Forward-phase dimming technology
- Suitable for damp bathroom environments
- Energy efficient
- Easy installation
- Title 24 compliant
- 3-year limited warranty
- Covered by one or more patents
- Designed in America and sourced globally

## LIGHTING SPECIFICATIONS

- Natural-looking LED light color
- CRI: 90+
- CCT: 3,000 Kelvin
- 540 initial lumens per foot
- Maximum 96 lumens per watt efficacy
- Calculated L<sub>70</sub> 50,000-hour LED lifespan

## SAFETY SPECIFICATIONS

- Entire assembly meets UL/cUL standards
- Safety-backed mirror

## INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36" whip; junction box not required
- Fixture should be mounted to wall studs; wall cleat provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

Initial lumens are calculated based on the LED strip.

In-stock Mystique lighted mirrors ship within one week. See Shipping and Handling page for information.

For complete Terms and Conditions, Warranty, Return Policy, and Freight Claim Policies, visit [CordovaMirrors.com](http://CordovaMirrors.com).






Mystique™ Lighted Mirror



# Prestige Lighted Mirror

Combine the Prestige™ of a refined perimeter of forward-facing task lighting with rich, luxurious wall glow to bathe your room in a halo of contemporary style.

Model	Size (inches)	Lumens	Price
PRE-2436	24w x 36h x 1.73d	4,680	\$700
PRE-3042	30w x 42h x 1.73d	5,940	\$775
PRE-3636	36w x 36h x 1.73d	5,940	\$780



## FEATURES AND BENEFITS

- Lead-free, copper-free, corrosion-resistant PrimeMirror™ glass
- Forward-facing task lighting
- Wall-glow ambient lighting on all four sides with diffuser for a finished side view
- Forward-phase dimming technology
- Suitable for damp bathroom environments
- Energy efficient
- Easy installation
- Title 24 compliant
- 3-year limited warranty
- Designed in America and sourced globally

## LIGHTING SPECIFICATIONS

- Natural-looking LED light color
- CRI: 90+
- CCT: 3,000 Kelvin
- 540 initial lumens per foot
- Maximum 96 lumens per watt efficacy
- Calculated  $L_{70}$  50,000-hour LED lifespan

## SAFETY SPECIFICATIONS

- Entire assembly meets UL/cUL standards
- Safety-backed mirror

## INSTALLATION SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36" whip; junction box not required
- Fixture should be mounted to wall studs; wall cleat provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

Initial lumens are calculated based on the LED strip.

In-stock Prestige lighted mirrors ship within one week. See Shipping and Handling page for information.

For complete Terms and Conditions, Warranty, Return Policy, and Freight Claim Policies, visit [CordovaMirrors.com](http://CordovaMirrors.com).




Prestige™ Lighted Mirror

# Unity Lighted Mirror

Create a sense of Unity™ between light and mirror with the concentric design of a precision inset pattern of light surrounded by a bold reflective border

Model	Size (inches)	Lumens	Price
UNY-2436	24w x 36h x 1.71d	4,320	\$655
UNY-3042	30w x 42h x 1.71d	5,400	\$730
UNY-3636	36w x 36h x 1.71d	5,400	\$770
UNY-3642	36w x 42h x 1.71d	5,940	\$820
UNY-4836	48w x 36h x 1.71d	6,480	\$990



## FEATURES AND BENEFITS

- Lead-free, copper-free, corrosion-resistant PrimeMirror™ glass
- Forward-facing task lighting
- Forward-phase dimming technology
- Suitable for damp bathroom environments
- Energy efficient
- Easy installation
- Title 24 compliant
- 3-year limited warranty
- Covered by one or more patents
- Designed in America and sourced globally

## LIGHTING SPECIFICATIONS

- Natural-looking LED light color
- CRI: 90+
- CCT: 3,000 Kelvin
- 540 initial lumens per foot
- Maximum raw 96 lumens per watt efficacy
- Calculated  $L_{70}$  50,000-hour LED lifespan

## SAFETY SPECIFICATIONS

- Entire assembly meets UL/cUL standards
- Safety-backed mirror

## SAFETY SPECIFICATIONS

- 120V-240V hardwire electrical connection; provide 36" whip; junction box not required
- Fixture should be mounted to wall studs; wall cleat provided
- Controlled by forward-phase dimming wall switch
- Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable

Initial lumens are calculated based on the LED strip.

In-stock Unity lighted mirrors ship within one week. See Shipping and Handling page for information.

For complete Terms and Conditions, Warranty, Return Policy, and Freight Claim Policies, visit [CordovaMirrors.com](http://CordovaMirrors.com).





Unity™ Lighted Mirror

# Installation Guide

## Mounting

Lighted mirrors include three components: a wall cleat, magnetic catch plates and the mirror fixture. Mounting holes are provided in the wall cleat and the catch plates for ease of installation. After the cleat and catch plates are mounted, the mirror fixture is hung on the wall cleat. Magnets at the bottom of the fixture will connect with the catch plates holding the bottom of the fixture to the wall.

The mirror fixture is designed to be surface mounted to your wall. However, if you would like to recess the unit, ensure the mirror face is proud of the wall and only the LED extrusion and power box are recessed. Units with wall glow should not be recessed. Mirror fixture should be mounted to wall studs or other suitable backing material.

A 1" clearance is needed above the top edge of the mirror to hang the mirror properly. Additionally, maintain .25" on the left, right, and bottom of the mirror to allow for installation tolerances.

The chassis comes ready to hardwire for 120V. The power whip should come through the back of the unit for the hardwire connection. A 36" long power whip can be prepared 12" down from the top of the mirror and centered from left to right. A quick disconnect is included so the wires can easily be connected. No J-Box is required.


## Width x Height Orientation

Fixture can only be hung in the WxH orientation as shown; fixture is not field-interchangeable.

For complete product specifications and installation instructions, visit [CordovaMirrors.com](https://CordovaMirrors.com).



# Dimming Guide



## Dimmable LED Switch Options

Cordova Home lighted mirrors come standard with LEDs that are dimmable. The LEDs can either be controlled by a standard on/off wall switch or a forward-phase dimming switch. Whether using an on/off switch or a forward-phase dimming switch, there are no special requirements other than a hot, neutral, and ground, 120V hardwire connection.

The recommended two-wire forward-phase dimming switches are either the Leviton IPL06-10Z or Lutron DVCL-153P (not included). The above diagram is for illustrative purposes only. Refer to the switch manufacturer's wiring diagram for detailed instructions.

# Shipping and Handling

## Shipping

From the way your mirror is packaged, to the carriers we choose, we work tirelessly to ensure that your mirror arrives safely and in perfect condition.

### Continental USA Shipping Price for Each Mirror

Mirror Size ( <i>inches</i> )	Freight	Drop-Ship Fee*
21w x 30h	\$70	\$55
24w x 28h	\$70	\$55
24w x 36h	\$70	\$55
28w x 36h	\$70	\$55
30 diameter	\$70	\$55
30w x 42h	\$140	\$125
36 diameter	\$140	\$125
36w x 36h	\$140	\$125
36w x 42h	\$140	\$125
48w x 36h	\$140	\$125

\* Shipping prices for each mirror are based on delivery to a dealer with a loading dock. A drop-ship fee is required to ship to a different address, such as a residence. Freight charges and drop-ship fees are subject to change. We reserve the right to change freight or drop-ship fees at any time.

## Free Freight Allowed

Order 10 or more mirrors and freight is free. Mirrors must ship together to the same address.

## Five Days for Shipping Damage Claims

If your product arrives with shipping damage, all shipping damage claims must be made within five business days of receiving your shipment. You must take photos of the packaging and the damaged product and send to your sales representative or dealer who will work with us on filing a freight claim. We recommend that you thoroughly inspect the package and product as soon as it arrives. You must not install the product before taking photos of the damage.



# Contact Us

## **Cordova™**

6101 Associated Blvd., Suite 101  
Everett, WA 98203

**T:** 844.264.3218

**F:** 306.363.5455

For sales inquiries, contact **HomeSales@CordovaMirrors.com**

Send purchase orders to **Orders@CordovaMirrors.com**

**[CordovaMirrors.com](http://CordovaMirrors.com)**



CORDOVA™  
HOME

0822.3.R